

**BLANCO**  
PROFESSIONAL



# PROASSIST

**Mobile Functional Furniture** for the Operating Theatre and Outpatient Departments



# ORGANISATION WITH A SYSTEM

Our mobile functional furniture PROassist provides safety and high quality in every respect. The range contains a wealth of clever, mobile assistants for all the functional areas of a clinic.

There is a focus on flexibility and hygiene in all of the products, whether they are furniture, seating or equipment. All of the furniture is made of stainless steel and thus corrosion-resistant, resistant to disinfectants, hygienic and easy to care for – throughout its entire service life.

## Advantages at a glance

- Manoeuvrable synthetic antistatic double castors ensure optimum mobility.
- The five-footbase provides a high level of stability.
- All PROassist products have a ground surface which is very refined and hygienic.
- Available in numerous equipment variants.
- High level of stability.
- Welded without joints to eliminate corners and edges.
- The electrically conductive design of all relevant parts prevents static charging.
- Reliable service from the manufacturer.

## Contents

Furniture for the operating theatre and outpatient department	4
Operating theatre swivel stool and rolling swivel chair	10
Supply and disposal	12
Instrument and equipment trolleys, accessories	23
Transport and multi-purpose trolleys	28



# A HANDLE ON SAFETY

There are two criteria for products in the most sensitive medical area, the Operating Theatre. They require absolutely hygienic materials and maximum functionality. Every movement must be perfect, and each unit must be within reach!

The BLANCO PROassist range is specifically designed to support the work of operating theatre personnel.



## **Bowl stand with heating (incl. touch protection)**

**The heatable BLANCO bowl stand heats rinsing solutions and is primarily used in the operating theatre. The unit corresponds to Class 1 of the Medical Devices Act and has the CE mark.**

**Bowl:** reinforced bottom, non-slip positioning ring and push handle, all made of stainless steel. Capacity 5.5 litres.

**Heating:** round tubular heating element cast in aluminium plate; connected load 230 V, 50/60 Hz, 600 W; continuously adjustable from 30–60 °C, with lock catch at 40 °C; easily legible switching lever; temperature setting in 10 °C increments; integrated temperature limiter in stainless steel housing;

operating mode indicator with LED; control accuracy +/- 2 °C; ready to plug in with 5 m connection cable; Schuko plug.

**Frame:** mobile, 5-foot design with tip safety made of stainless steel; welded without joints; Height 1004-1275 mm, can be adjusted with one hand, abrasion-resistant synthetic double castors, 3 of which are electrically conductive (5 steering castors dia. 75 mm, 2 castors with brake).

Dimensions: 630 x 630 x 1004/1275 mm  
Weight: 14 kg

**Order No. 542 162\***

## FURNITURE FOR THE OT AND OUTPATIENT DEPARTMENT



### Bowl stands

**The bowl stands securely hold solutions, liquids, cloths, etc.**

Mobile 5-foot design made of stainless steel and welded without joints. With push handle and removable stainless steel bowl. Abrasion-resistant, non-discolouring, corrosion-resistant, synthetic antistatic double castors (5 steering castors, diameter 75 mm, 2 of which have brakes); Bowl: capacity 6 litres, outside diameter 320 mm.

#### **Bowl stand, single**

Dimensions: 635 x 670 x 865 mm

Weight: 4 kg

**Order No. 542 164\***

#### **Bowl stand, double**

Dimensions: 635 x 700 x 865 mm

Weight: 7 kg

**Order No. 542 165\***



### Hand and arm surgical table

**This surgical table is designed for surgery to the hand or arm. Manually height-adjustable, with radiolucent table top.**

Mobile 4-foot design made of stainless steel and welded without joints. Table top with radiolucent upholstery, height 30 mm, can be removed or tilted to all sides with ball joint; can be tightly fixed in place with clamping lever.

Manually height-adjustable from 650–950 mm. Antistatic upholstery. Loading capacity: 15 kg. Abrasion-resistant, non-discolouring, corrosion-resistant synthetic double castors, 2 of which are electrically conductive (4 steering castors dia. 75 mm).

Dimensions: 450 x 450 x 760/1030 mm

Weight: 7 kg

**Order No. 542 169**



### Mayo instrument table

**All surgical instruments are well-organised and within reach on the mobile and height-adjustable mayo instrument table.**

Mobile 4-foot design made of stainless steel and welded without joints. Sturdy, seamless deep-drawn table top made of stainless steel, with rounded corners and edges. Manually height-adjustable from 830-1300 mm. Max. surface load: 30 kg

Abrasion-resistant, non-discolouring, corrosion-resistant synthetic double castors, 2 of which are electrically conductive (4 steering castors dia. 75 mm).

Dimensions of table top: 640 x 440 mm

Dimensions: 640 x 440 x 830/1300 mm

Weight: 22 kg

**Order No. 542 182\***

## FURNITURE FOR THE OT AND OUTPATIENT DEPARTMENT



### Hydraulic pump mayo instrument table

**The practical mayo instrument table, easily height-adjustable using a foot pedal.**

Heavy 3-foot design with tip safety and installed precision pump (closed hydraulic system, max. load 30 kg, maintenance-free, immediately ready for operation) for height adjustment from 950–1350 mm with foot pedal operation, frame construction and lifting column made of stainless steel. Step bar provided with electrically-conductive rubber protection. Sturdy, seamless deep-drawn table top made of stainless steel, with rounded corners and edges, can be rotated and locked. Abrasion-resistant, non-discolouring, corrosion-resistant synthetic double castors, 1 is electrically conductive (3 steering castors dia. 75 mm)

Dimensions of table top: 640 x 440 mm  
Dimensions: 730 x 540 x 950/1350 mm  
Weight: 30 kg

**Order No. 543 270\***

Dimensions of table top: 740 x 540 mm  
Dimensions: 780 x 540 x 950/1350 mm  
Weight: 31 kg

**Order No. 543 271\***



### Hydraulic pump mayo instrument table, Model Tübingen

**All of the instruments can really be accommodated on this extremely large table top.**

Made of stainless steel, with installed precision pump (closed hydraulic system, max. load 30 kg, maintenance-free, immediately ready for operation) for height adjustment from 950–1350 mm. Especially large table top, can be rotated by 360° and locked.

Abrasion-resistant, corrosion-resistant double ball bearing castors (4 steering castors, dia. 125 mm, 2 of which have brakes), electrically conductive.

Dimensions: 1200 x 600 x 950/1350 mm  
Weight: 43 kg

**Order No. 543 269**



## Bucket stand

### For discarding consumables quickly in the operating theatre.

Mobile, made of stainless steel, jointless, with all-round electrically-conductive bumper ring, support for stainless steel bucket. With stainless steel bucket, approx. 15 litre volume.

With 4 synthetic double castors, 2 of which are electrically-conductive (dia. 50 mm).

### Bucket stand without push handle

Dimensions of bucket stand:

466 x 466 x 263 mm

Weight: 6 kg,

Dimension of upper edge of the bucket:

465 mm

**Order No. 542 178\***

### Bucket stand with push handle

Model as described, except with push handle.

Dimensions: 466 x 575 x 800 mm

Weight 7 kg

**Order No. 542 180\***



## Laundry and waste trolley

### The transport trolley for worn surgical clothing or for waste of any type.

Mobile, jointless tubular frame design made of stainless steel, with hanging fixture which hold commercially-available laundry or waste sacks with 60/70 l volume, with moulded push handle.

Special support frame prevents the laundry or waste sack from slipping through. With 4 synthetic double castors, 2 of which are electrically-conductive (dia. 75 mm), 2 castors with brake.

### Transport trolley, single (for 1 laundry or waste sack)

Dimensions: 575 x 350 x 777 mm

Weight: 7 kg

**Order No. 542 163**

### Transport trolley, double (for 2 laundry or waste sacks)

Dimensions: 1020 x 350 x 777 mm

Weight: 10 kg

**Order No. 542 166**

### Accessories:

#### Synthetic lid for waste trolley

Synthetic, for retrofitting on BLANCO transport trolley for laundry and waste sacks.

Dimensions: 403 x 360 mm

**Order No. 543 521**

## FURNITURE FOR THE OT AND OUTPATIENT DEPARTMENT



### Infusion stand

Made of stainless steel, 5-foot design welded without joints. Height-adjustable from 1500–2500 mm using screw which can be opened, including stainless steel bottle holder with 4 safety infusion hooks and drip vessel and holder; loading capacity per hook: 2 kg. Non-discolouring, corrosion-resistant synthetic antistatic double castors (5 steering castors, dia. 75 mm, 2 of which have brakes).

Dimensions: 630 x 630 x 1500/2500 mm

Weight: 8 kg

**Order No. 542 170\***



### Infusion stand

#### Practical one-hand model

Made of stainless steel, 5-foot design welded without joints. Height-adjustable from 1500–2350 mm using one-hand height adjustment, with aqua gland with synthetic sealing ring and control ring; including stainless steel bottle holder with 4 safety infusion hooks. With drip vessel and holder; loading capacity per hook: 2 kg. Non-discolouring, corrosion-resistant synthetic antistatic double castors (5 steering castors, dia. 75 mm, 2 of which have brakes).

Dimensions: 630 x 630 x 1500/2350 mm

Weight: 10 kg

**Order No. 542 171\***





## Operating theatre shoe racks

### What to do with the operating theatre shoes?

**Straight into the rack for the pre-operative and post-operative area.**

#### Operating theatre shoe rack, mobile

Mobile 4-foot design made of stainless steel, welded without joints, with 6 stainless steel tube frame levels as a support for 24 pairs of operating theatre shoes of all sizes. Abrasion-resistant, non-discolouring, corrosion-resistant synthetic anti-static double castors (4 steering castors, dia. 75 mm, 2 of which have brakes).

Dimensions: 970 x 580 x 1600 mm

Weight: 26 kg

**Order No. 542 187\***

#### Operating theatre shoe rack, wall-mounted

Stainless steel frame construction, welded without joints, with 7 stainless steel tube frame levels as a support for 30 pairs of operating theatre shoes of all sizes.

Dimensions: 894 x 345 x 1450 mm

Weight: 24 kg

**Order No. 542 188**



## Operating theatre step stool

### The operating theatre step stool from BLANCO Professional has particularly durable feet!

Stable 4-foot design made of stainless steel and welded without joints. Model and dimensions are in compliance with professional association guidelines. For easier cleaning with removable, non-slip, corrugated step surface made of stainless steel; 4 electrically conductive, non discolouring or non marking rubber feet. Load capacity: 125 kg

#### Operating theatre step stool, single, 130 mm high

Load capacity: 125 kg

Dimensions: 600 x 350 x 130 mm

Weight: 4 kg

**Order No. 542 191\***

#### Operating theatre step stool, single, 220 mm high

Load capacity: 125 kg

Dimensions: 600 x 350 x 220 mm

Weight: 5 kg

**Order No. 542 192\***

#### Operating theatre step stool, single, 300 mm high

Load capacity: 125 kg

Dimensions: 600 x 350 x 300 mm

Weight: 6 kg

**Order No. 542 193\***

#### Operating theatre step stool, double, 220/440 mm high

Load capacity: 100 kg

Dimensions: 600 x 650 x 220/440 mm

Weight: 9 kg

**Order No. 542 194\***

## OPERATING THEATRE SWIVEL STOOL AND ROLLING SWIVEL CHAIR

There are demanding requirements on seating for use in the operating theatre. For example, the safe electrical discharge of all the parts in the surgical area is essential for patient safety.

The seating should also be ergonomic, rugged, hygienic and easy to clean. Ideally, it should also be height-adjustable. Operating theatre swivel stools and rolling swivel chairs from BLANCO reliably fulfil all of these requirements.



### Operating theatre rolling swivel chair

Mobile 5-caster design made of stainless steel. Continuous height adjustment from 510–740 mm with installed gas pressure spring using foot operation with large, chromed safety foot bar; black electrically conductive upholstery with extension security lock according to DIN standards. Seat dia. 360 mm for round seat, 420 mm for saddle seat, upholstery thickness 100 mm for round seat, 80 mm for saddle seat, footprint dia. 480 mm, 140 kg loading capacity. Abrasion-resistant, non-discolouring, corrosion-resistant synthetic castors (5 steering castors, dia. 50 mm with double ball bearing, 3 of which are electrically conductive, foot brake integrated in the transport frame).

#### Rolling swivel chair with round seat

Dimensions: 480 x 600 mm

Weight: 25 kg

**Order No. 344 351\***

#### Rolling swivel chair with round seat and backrest

Backrest adjustable by 45 mm

Dimensions: 480 x 900 mm

Weight: 25 kg

**Order No. 344 352\***

#### Rolling swivel chair with saddle seat

Dimensions: 480 x 600 mm

Weight: 30 kg

**Order No. 344 353\***

#### Rolling swivel chair with saddle seat and backrest

Backrest adjustable by 45 mm

Dimensions: 480 x 900 mm

Weight: 30 kg

**Order No. 344 354\***



## Swivel stools

**You can use these swivel stools in all functional rooms and the operating theatre because they are electrically conductive.**

Stainless steel design with precision-spindle height adjustment, glass-bead blasted. Upholstered seats (dia. 340 mm) with electrically-conductive black cover. 140 kg load capacity.

Stationary models with electrically conductive-rubber feet. Mobile models with 5 steering castors, dia. 50 mm (abrasion-resistant, non-discolouring, corrosion-resistant synthetic double castors, 3 of which are electrically conductive).

### **Swivel stool with seat and spindle made of stainless steel, glass-bead blasted**

Dimensions: 460 x 400/620 mm  
Weight: 9 kg

**Order No. 344 355\***

### **Swivel stool with seat and spindle made of stainless steel, glass-bead blasted**

Model as described, except 5-foot cross with castors.

Dimensions: 460 x 440/660 mm  
Weight: 9 kg

**Order No. 344 356\***

### **Swivel stool with flat upholstered seat (35 mm high)**

Stationary model with electrically conductive-rubber feet.

Dimensions: 460 x 435/635 mm  
Weight: 9 kg

**Order No. 344 357\***

### **Swivel stool with flat upholstered seat (35 mm high)**

Mobile model with 5 steering castors, dia. 50 mm

Dimensions: 460 x 475/695 mm  
Weight: 9 kg

**Order No. 344 358\***

### **Swivel stool with flat upholstered seat (65 mm high)**

Model as described, except stationary.

Dimensions: 460 x 465/685 mm  
Weight: 9 kg

**Order No. 344 359\***

### **Swivel stool with flat upholstered seat (65 mm high)**

Model as described, except with castors.

Dimensions: 460 x 505/725 mm  
Weight: 9 kg

**Order No. 344 360**

## ESSENTIAL ASSISTANTS



Our units for the operating theatre and outpatient department provide complete solutions in a modular design, which means that you can put your trolley together according to your requirements. In this way you achieve an effective system where everything is where it belongs.

We exclusively use stainless steel for all the products for the medical field. It is the most hygienic material and can even be sterilised. In addition, stainless steel continues to shine, even after years of care with cleansers and disinfectants.



## SUPPLY AND DISPOSAL



### Hook trolley/wall-mounted hook rail

**In the comprehensive system of hook trolleys and accessories from BLANCO, the design is modular, and all the parts are compatible. Put your trolley together according to your requirements, including accessories for every imaginable task.**

#### Hook trolley, one side

Mobile jointless square tube frame construction, 25 x 25 mm, made of stainless steel, with hooks which have a maximum capacity of three 1 STE baskets or comparable articles. Vertical hook loading capacity 60 kg per hook;

abrasion-resistant, non-discolouring, corrosion-resistant synthetic antistatic double castors (4 steering castors, dia. 75 mm, 2 of which have brakes, with wall guards). Dimensions: 600 x 460 x 1438 mm  
Weight: 7 kg

**Order No. 542 208\***

#### Hook trolley, both sides

Model as described, except with hooks which hold a maximum of six 1 STE baskets.

Dimensions: 600 x 670 x 1438 mm  
Weight: 7 kg

**Order No. 542 209\***



### Wall-mounted hook rail with hook

Made of stainless steel, produced from rectangular tubing 30 x 20 mm, with 2 synthetic caps, welded-on hooks, hook spacing 350 mm, vertical hook loading capacity 60 kg per hook, holds STE baskets or comparable articles.

#### Wall-mounted hook rail, 1 pc., with 2 hooks

Dimensions: 700 mm long  
Weight: 1 kg

**Order No. 542 210\***

#### Wall-mounted hook rail, 1 pc., rail with with 3 hooks

Dimensions: 1050 mm long  
Weight: 1.4 kg

**Order No. 542 211\***

#### Wall-mounted hook rail, 1 pc., rail with with 4 hooks

Dimensions: 1400 mm long  
Weight: 1.6 kg

**Order No. 542 212\***

#### Wall-mounted hook rail, 1 pc., rail with with 5 hooks

Dimensions: 1750 mm long  
Weight: 2.2 kg

**Order No. 542 213\***

#### Wall-mounted hook rail, 1 pc., rail with with 7 hooks

Model as described, except hook spacing 240 mm for accepting 7 sterile equipment baskets 1/2 STE

Dimensions: 1600 mm long  
Weight: 2.5 kg

**Order No. 542 214\***

## SUPPLY AND DISPOSAL



### Sterile equipment basket

#### Ideal for transport, storage and sterilisation.

Made of stainless steel, electrolytically polished, burr-free finish, closed wire loops (2.5 mm), welded in the middle under the upper frame (6 mm), base frame (5 mm) designed as stacking frame (3 mm).

Mesh size: Wall 22 x 40 mm, base 22 x 22 mm; can be suspended in wall-mounted hook rails and hook trolleys, loading capacity: 20 kg.

#### Sterile equipment basket 1/2 STE

Dimensions: 575 x 280 x 135 mm

Weight: 2 kg

**Order No. 542 215\***

#### Sterile equipment basket 1 STE

Model as described

Dimensions: 575 x 280 x 265 mm

Weight: 2 kg

**Order No. 542 216\***

#### Sterile equipment basket 1 STE with handle opening

Made of stainless steel, with handle opening on the long side 300 x 120 mm.

Model as described

Dimensions: 575 x 280 x 265 mm

Weight: 2 kg

**Order No. 542 217\***

#### Sterile equipment basket 2 STE

Model as described, except loading capacity: 30 kg

Dimensions: 575 x 560 x 265 mm

Weight: 2 kg

**Order No. 542 218\***



### Universal holder for synthetic and wire containers

Made of stainless steel, clean, jointless finish.

#### Holds 3 containers, size 3.

Dimensions: 550 x 37 x 247 mm

Weight: 1 kg

**Order No. 542 219\***

#### Holds 4 containers, size 4.

Dimensions: 550 x 37 x 170 mm

Weight: 1 kg

**Order No. 542 220\***

#### Holds 5 containers, size 5.

Dimensions: 550 x 37 x 124 mm

Weight: 1 kg

**Order No. 542 221\***



### Multi-purpose tray

Holds folded paper, made of stainless steel, clean, jointless finish.

Dimensions: 610 x 326 x 260 mm

Weight: 1.5 kg

**Order No. 542 222\***



### Shoe rack

Made of stainless steel, clean, burr-free finish, electrolytically polished, with 12 hanging bars, closed wire loops, wire thickness: 6 mm, holds a maximum of 6 pairs of shoes.

Dimensions: 600 x 263 x 180 mm

Weight: 1 kg

**Order No. 542 223\***

## SUPPLY AND DISPOSAL



### Hose and abdominal cloth rack

Made of stainless steel, clean, jointless finish, with 11 welded-in hooks, arranged offset, holds anaesthesia hoses and abdominal cloths.

Dimensions: 585 x 94 x 180 mm

Weight: 1.5 kg

**Order No. 542 224\***



### Multi-purpose equipment holder

For example for anaesthesia units, operating theatre accessories. Made of stainless steel, clean, jointless finish, slide rail produced of solid material 25 x 10 mm.

Dimensions: 600 x 48 x 180 mm

Weight: 1.5 kg

**Order No. 542 225\***





### Stainless steel housing for Plexiglas chutes

**With 3 Plexiglas chutes,**  
stackable.

Dimensions: 601 x 172 x 245 mm

Weight: 5 kg

**Order No. 542 226**

**With 5 Plexiglas chutes,**  
stackable.

Dimensions: 601 x 172 x 171 mm

Weight: 4.5 kg

**Order No. 542 227**



### Holder for stainless steel special container.

Made of stainless steel, clean, jointless finishing, which holds special containers, with storage bar for lids.

Dimensions: 550 x 325 x 320 mm

Weight: 2 kg

**Order No. 542 228\***

### Stainless steel special container (without lid), 100 mm deep

Made of stainless steel, seamless deep-drawn, for BLANCO wire mesh basket.

Dimensions: 530 x 325 x 100 mm

Weight: 1.4 kg

**Order No. 542 1550590\***

### Stainless steel special container (without lid), 200 mm deep

Made of stainless steel, seamless deep-drawn, for BLANCO wire mesh basket.

Dimensions: 530 x 325 x 200 mm

Weight: 2.1 kg

**Order No. 542 1550592\***

### Lid


For stainless steel special container.

Dimensions: 530 x 325 mm

Weight: 1.1 kg

**Order No. 550 658\***

## SUPPLY AND DISPOSAL



### Syringe and cannula tray

Made of stainless steel, clean, jointless finish, middle shelf. Equipped with 4 Plexiglas subdivisions each, which can be adjusted variably.

Dimensions: 580 x 350 x 275 mm  
Weight: 9 kg

**Order No. 542 229**



### Suture material tray

Made of stainless steel, with 4 shelves, holds a maximum of 20 commercially-available small packages.

Dimensions: 600 x 173 x 290 mm  
Weight: 6 kg

**Order No. 542 230\***



### Glove dispenser

Made of stainless steel, holds a maximum of 50 pairs each of 3 glove sizes.

Dimensions: 580 x 320 x 260 mm  
Weight: 9 kg

**Order No. 542 231\***



### Writing surface

Made of stainless steel. As writing support for the nursing staff. Writing surface with front bevel and middle shelf

Dimensions: 580 x 396 x 244 mm

Weight: 6 kg

**Order No. 542 232\***



### Storage for urinal bottles

Made of stainless steel, clean, jointless finishing, holds 5 urinal bottles.

Dimensions: 580 x 276 x 230 mm

Weight: 4 kg

**Order No. 542 233**

### Storage for 5 bedpans with lids

Made of stainless steel, holds 5 bedpans and 5 lids.

Dimensions: 675 x 420 x 230 mm

Weight: 6 kg

**Order No. 542 234\***

## SUPPLY AND DISPOSAL



### Support surface with bracket

With permanently-welded bracket made of stainless steel, clean, jointless finish. Carrying capacity for evenly-distributed load: 50 kg.

**Dimensions: 695 x 350 x 205 mm**

Weight: 5 kg

**Order No. 542 235\***

**Dimensions: 695 x 450 x 240 mm**

Weight: 6 kg

**Order No. 542 236\***

**Dimensions: 695 x 600 x 275 mm**

Weight: 8 kg

**Order No. 542 237\***



### Synthetic container

Made of polypropylene. Stackable, can be suspended in holders for containers. Holds various goods.

#### Size 3, blue

Dimensions: 210 x 350 x 200 mm

**Order No. 542 238\***

#### Size 4, blue

Dimensions: 150 x 230 x 125 mm

**Order No. 542 239\***

#### Size 5, blue

Dimensions: 100 x 170 x 75 mm

**Order No. 542 240\***

#### Size 3, green

Dimensions: 210 x 350 x 200 mm

**Order No. 542 241\***

#### Size 4, green

Dimensions: 150 x 230 x 125 mm

**Order No. 542 242\***

#### Size 5, green

Dimensions: 100 x 170 x 75 mm

**Order No. 542 243\***



### Wire container

Made of stainless steel, can be suspended in container holders.

#### Size 3

Dimensions: 350 x 210 x 200 mm

**Order No. 542 244\***

#### Size 4

Dimensions: 230 x 150 x 125 mm

**Order No. 542 245\***

#### Size 5

Dimensions: 170 x 100 x 75 mm

**Order No. 542 246\***



### Wire mesh basket with folding handle

Made of stainless steel, electrolytically polished, burr-free finish, wire mesh basket deep-drawn, closed base frame with crossbars for high loading capacity, 2 folding handles inside, mounted on the short side.

Handle bar 130 x 40 mm.

#### Size 1

Dimensions: 240 x 250 x 50 mm

**Order No. 542 247\***

#### Size 2

Dimensions: 480 x 250 x 50 mm

**Order No. 542 248\***

## SUPPLY AND DISPOSAL



### Strainer

Stainless steel, electrolytically polished, burr-free finish, welded screen 10 x 10 x 1 mm, closed base frame, recess lengthwise in upper frame serves as carrying bar, stackable, 4 U-shaped feet welded to the base frame. Fits in polypropylene containers.

Dimensions: 245 x 175 x 90 mm

**Order No. 542 249\***

### Polypropylene container

Containers made of polypropylene, can be sterilised to +134 °C, holds used instruments, syringes, cannulas and catheters; container holds a strainer.

#### **Polypropylene container with closed lid**

Dimensions: 300 x 225 x 125 mm

**Order No. 542 250\***

#### **Polypropylene container with slotted lid**

Dimensions: 300 x 225 x 125 mm

**Order No. 542 251\***



### Pallet trolley

**For convenient transport of one 2 STE basket or two 1 STE baskets.**

Mobile, jointless square tube frame construction, 25 x 25 mm, made of stainless steel, holds two 1 STE baskets or one 2 STE basket, with moulded push handle, 4 steering castors dia. 125 mm, 2 of which have brakes, with double ball bearing, electrically conductive, with thread guard and wall guard. Max. load capacity: 100 kg

Dimensions: 675 x 815 x 900 mm

Weight: 11 kg

**Order No. 542 252**

## MOBILE STORAGE – EVERYTHING IS WITHIN REACH!



The side tables, rolling trolleys and unit holders and dispensers are small yet essential passive assistants.

We have developed a sophisticated range of accessories for these assistants. The accessories are user-friendly and add a lot of value.

All BLANCO brand products are meticulously finished and made of hygienic stainless steel whenever possible.



## INSTRUMENT AND EQUIPMENT TROLLEYS



### Instrument trolley

**Small castors with a big effect. These instrument trolleys are anywhere you need them.**

Mobile, jointless square tube frame construction, 20 x 20 mm, made of stainless steel. Tube frame designed as a protective railing, top and bottom with removable stainless steel table tops.

Load capacity: 20 kg,  
Drawer dimensions: 445 x 95 mm  
Abrasion-resistant, non-discolouring, corrosion-resistant synthetic antistatic double castors (4 steering castors, dia. 75 mm, 2 of which have brakes with wall guard).

Instrument trolleys are also available in 900 mm and 1000 mm heights upon request. For more information, please consult the PROassist price list.

#### Instrument trolley

Dimensions: 675 x 475 x 800 mm  
Weight: 10 kg

**Order No. 542 265\***

#### Instrument trolley

Dimensions: 770 x 675 x 800 mm  
Weight: 13 kg

**Order No. 542 266\***

#### Instrument trolley

Dimensions: 990 x 675 x 800 mm  
Weight: 15 kg

**Order No. 542 267**

#### Instrument trolley with drawer

Dimensions: 675 x 475 x 800 mm  
Weight: 14 kg

**Order No. 542 268**

#### Instrument trolley with drawer

Dimensions: 770 x 675 x 800 mm  
Weight: 18 kg

**Order No. 542 269**

#### Instrument trolley with drawer

Dimensions: 990 x 675 x 800 mm  
Weight: 21 kg

**Order No. 542 270**

#### Instrument trolley with 3-sided stainless steel railing

Dimensions: 675 x 475 x 800 mm  
Weight: 12 kg

**Order No. 542 271**

#### Instrument trolley with 3-sided stainless steel railing

Dimensions: 770 x 675 x 800 mm  
Weight: 17 kg

**Order No. 542 272**

#### Instrument trolley with 3-sided stainless steel railing

Dimensions: 990 x 675 x 800 mm  
Weight: 20 kg

**Order No. 542 273**

#### Instrument trolley with drawer and 3-sided stainless steel railing

Dimensions: 675 x 475 x 800 mm  
Weight: 19 kg

**Order No. 542 274**

#### Instrument trolley with drawer and 3-sided stainless steel railing

Dimensions: 770 x 675 x 800 mm  
Weight: 25 kg

**Order No. 542 275**

#### Instrument trolley with drawer and 3-sided stainless steel railing

Dimensions: 990 x 675 x 800 mm  
Weight: 29 kg

**Order No. 542 276**

#### Instrument trolley with flush retaining lip, removable upper table top

Dimensions: 689 x 489 x 800 mm  
Weight: 10 kg

**Order No. 542 278**

#### Instrument trolley with flush retaining lip, removable upper table top

Dimensions: 784 x 689 x 800 mm  
Weight: 13 kg

**Order No. 542 279**

#### Instrument trolley with flush retaining lip, removable upper table top

Dimensions: 1004 x 689 x 800 mm  
Weight: 15 kg

**Order No. 542 280**





### Equipment trolley

**A slightly lower mobile table to accommodate heavier and larger equipment while maintaining an optimal working height.**

Mobile, jointless square tube frame construction, 20 x 20 mm, made of stainless steel. Tube frame designed as a protective railing, top and bottom with removable stainless steel table tops.

Load capacity: 20 kg,

Drawer dimensions: 445 x 95 mm  
Abrasion-resistant, non-discolouring, corrosion-resistant synthetic antistatic castors (4 steering castors, dia. 75 mm, 2 of which have brakes with wall guard).

### Equipment trolley

Dimensions: 675 x 475 x 650 mm

Weight: 9 kg

**Order No. 542 281**

### Equipment trolley

Dimensions: 770 x 675 x 650 mm

Weight: 12 kg

**Order No. 542 282**

### Equipment trolley with drawer

Dimensions: 675 x 475 x 650 mm

Weight: 14 kg

**Order No. 542 283**

### Equipment trolley with drawer

Dimensions: 770 x 675 x 650 mm

Weight: 13 kg

**Order No. 542 284**

### Equipment trolley with drawer and 3-sided stainless steel railing

Dimensions: 675 x 475 x 650 mm

Weight: 17 kg

**Order No. 542 285**

### Equipment trolley with drawer and 3-sided stainless steel railing

Dimensions: 770 x 675 x 650 mm

Weight: 20 kg

**Order No. 542 286**

### Equipment trolley with 3-sided stainless steel railing

Dimensions: 675 x 475 x 650 mm

Weight: 11 kg

**Order No. 542 287**

### Equipment trolley with 3-sided stainless steel railing

Dimensions: 770 x 675 x 650 mm

Weight: 16 kg

**Order No. 542 288**

## INSTRUMENT AND EQUIPMENT TROLLEYS, ACCESSORIES



### Syringe and cannula dispenser

With 3 Plexiglas chutes as syringe dispensers and 5 Plexiglas chutes as cannula dispensers; with bracket (First In–First Out system).

Dimensions: 600 x 200 x 410 mm  
(without bracket)

**Order No. 542 290**



### Instrument disposal tray

Made of polypropylene, with slotted lid, can be sterilised, with swivel holder and fixing clamp.

Dimensions: 300 x 230 x 130 mm

**Order No. 530 040**



### Disposal box set

Consisting of 10 boxes with 1 holder and fixing clamp.

Dimensions: 140 x 145 mm dia.

**Order No. 530 046**

#### Accessories:

#### Reserve disposal boxes

(packing unit: 120 pc.)

**Order No. 530 047**



### Quiver

Divided into three parts for suction catheters, can be suspended.

Dimensions: 160 x 92 x 563 mm

**Order No. 530 049**



### Power strip\*

Divided into six parts, with indicator light, connection cable 2.2 m, stainless steel mounting rail.

Dimensions: 390 x 50 x 45 mm

**Order No. 530 050**

\* German standard (other standards on request!)

## MANOEUVRABLE IN THE OT AND OUTPATIENT DEPARTMENT



Transport and multi-purpose units must meet the highest standards when it comes to hygiene, economy, durability and ease of care. Therefore, all BLANCO brand units are made of stainless steel. This is due to the fact that stainless steel is even resistant to the most aggressive disinfectants\*, meaning that thorough cleaning is not an issue.

\* does not apply to the use of concentrated chloric acid (HClO<sub>3</sub>)

The jointless welding prevents residual dirt and germs from accumulating. All of the units have electrically-conductive special castors and are thus suitable for use anywhere.

Their design is just as convincing. Because of the neutral colour of stainless steel, the BLANCO transport and multi-purpose units match any furniture.





### All-purpose trolley

**The trolleys are suitable for universal use and particularly for transporting consumer goods up to 20 kg. With practical push handle.**

Tube frame as a protective railing, with removable stainless steel table top. All trolleys are equipped with rugged wall guards. Four steering castors with tapered ball bearing, dia. 125 mm, 2 of which have brakes, electrically conductive, with thread guard.

**With 2 levels**

**Dimensions: 833 x 705 x 800 mm**

Weight: 14 kg

**Order No. 542 291**

**With 2 levels**

**Dimensions: 1053 x 705 x 800 mm**

Weight: 16 kg

**Order No. 542 292**

**With 3 levels**

**Dimensions: 1053 x 705 x 1020 mm**

Weight: 23 kg

**Order No. 542 293**

## TRANSPORT AND MULTI-PURPOSE TROLLEYS



### Transport trolley

**The transport trolley is the even more rugged answer to the all-purpose trolley.**

Frame: sturdy, jointless round tube, 25 mm dia., made of stainless steel, Fixed and welded shelves without joints and with an all round 10 mm raised profile edge, reinforced with 2 profiles on the underside.

All trolleys are equipped with rugged wall guards. Castors: Four steering castors with tapered ball bearing, dia. 125 mm, 2 of which have brakes, electrically conductive, with thread guard. Max. loading capacity: 80 kg per shelf, 120 kg total.

#### **Transport trolley MSW 8 x 5-2 With 2 shelves, 800 x 500 mm,**

Clearance distance between shelves:  
585 mm

Dimensions: 900 x 600 x 950 mm

Weight: 17 kg

**Order No. 531 077**

#### **Transport trolley MSW 8 x 5-3 With 3 shelves, 800 x 500 mm,**

Clearance distance between shelves:  
275 mm

Dimensions: 900 x 600 x 950 mm

Weight: 20 kg

**Order No. 531 078**

#### **Transport trolley MSW 9 x 6-2 With 2 shelves, 900 x 550 mm,**

Clearance distance between shelves:  
585 mm

Dimensions: 1000 x 650 x 950 mm

Weight: 18 kg

**Order No. 531 081**

#### **Transport trolley MSW 9 x 6-3 With 3 shelves, 900 x 550 mm,**

Clearance distance between shelves:  
275 mm

Dimensions: 1000 x 650 x 950 mm

Weight: 22 kg

**Order No. 531 082**

#### **Transport trolley MSW 10 x 6-2 With 2 shelves, 1000x600 mm**

Clearance distance between shelves:  
585 mm

Dimensions: 1100 x 700 x 1000 mm

Weight: 23 kg

**Order No. 531 086**

#### **Transport trolley MSW 10 x 6-3 With 3 shelves, 1000x600 mm**

Clearance distance between shelves:  
275 mm

Dimensions: 1100 x 700 x 1000 mm

Weight: 28 kg

**Order No. 531 088**

#### **Transport trolley MSW 10 x 6-2 With 2 shelves, 1000x600 mm.**

Model as described, except with 2 fixed and 2 steering castors,

Clearance distance between the shelves:  
585 mm

Dimensions: 1100 x 700 x 1000 mm

Weight: 23 kg

**Order No. 531 085**

#### **Transport trolley MSW 10 x 6-3 With 3 shelves, 1000x600 mm**

Model as described, except with 2 fixed and 2 steering castors,

Clearance distance between the shelves:  
275 mm

Dimensions: 1100 x 700 x 1000 mm

Weight: 28 kg

**Order No. 531 087**

## EVERYTHING FROM A SINGLE SOURCE – YOUR MEDICAL TECHNOLOGY SYSTEM SUPPLIER



The BLANCO brand provides system solutions for medical functional areas in clinics and hospitals, as well as outpatient departments and medical practices.

As a system supplier in the medical technology field, we offer not only comprehensive product know-how but also competence in the organisation of logistical processes in the hospital.

We respond individually to your needs to create a suitable solution for any requirements.

Our systems are designed to be modular and flexible. They can be easily customised and supplemented.

For example the product range CLEANassist for the economical and hygienic supply and disposal of sterile equipment: You will find clever solutions for each step of the sterile-equipment cycle here.

More information regarding the BLANCO brand, the company BLANCO Professional and our entire range is also available on the Internet:

[www.blanco-professional.com](http://www.blanco-professional.com)

## THE BLANCO PROFESSIONAL GROUP.

Our clients are as diverse and varied as our portfolio. In order to ensure we do our very best for every client, we concentrate our skills, abilities and capacities in four highly specialised business units: Catering – Products and complete systems for professional commercial kitchens. Railway – Equipment for galley kitchens and bistros on high-speed trains. Medical – Functional medical furniture for clinics, medical practices and outpatient departments. And Industrial – Custom-made high-precision pieces using stainless steel, aluminium or synthetics for industry.

All of BLANCO Professional's divisions have DIN EN ISO 9001:2008 certification, guaranteeing a high standard of reliability and customer orientation.

BLANCO Professional GmbH + Co KG  
MEDICAL  
P. O. Box 13 10  
75033 Oberderdingen  
Phone +49 7045 44-81900  
Fax +49 7045 44-81135  
medical@blanco.de  
www.blanco-professional.com

**BLANCO**  
PROFESSIONAL

Catering

Medical

Industrial

Railway